Author Index

ABRAHAM G.N., PODELL D.N., WELCH ELISA H. & JOHNSTON S.L. Idiotypic relatedness of human monoclonal IgG cryoglobulins, 315

ADACHI MITSUNOBO, *see* YODOI JUNJI.

AHLSTED S., BJÖRKSTEN B., NYGREN H. & SMEDEGARD G. Induction of humoral immunity and pulmonary mast cells in mice and rats after immunization with aerosolized antigen, 247

AKAHOSHI T., *see* NAKAMURA K.

ALBERTON M., *see* CAMUSSI G.

ARNAOUT M.A., DANA N., MELAMED J., MEDICUS R. & COLTEN H.R. Low ionic strength or chemical cross-linking of monomeric C3b increases its binding affinity to the human complement C3b receptor, 229

ASHERSON G.L., COLIZZI V. & WATKINS MADELEINE C. Immunogenic cells in the regional lymph nodes after painting with the contact sensitizers picryl chloride and oxazolone: evidence for the presence of IgM antibody on their surface, 561

ASPINALL R. & OWEN J.J.T. An investigation into the B lymphopoietic capacity of long term bone marrow cultures, 9

ASPINALL R. & OWEN J.J.T. Kinetics of sequential appearance of IgM and IgD on B lymphocytes in the bone marrow of the adult mouse, 309

AUSTEN K.F., *see* LEE C.W.

AVRAMEAS S., *see* KOVATCHEV D.

BADGER A.M., BROWN A.E. & POSTE G. The effect of cimetidine on antibody synthesis *in vitro* and *in vivo*, 151

BARCZYNSKI LISA K., *see* WING E.J.

BARTOLOTTI S.R., *see* MALASIT P.

BAUTE L., *see* MALAVÉ INÉS.

BAXTER M.A., LESLIE R.G.Q. & REEVES W.G. The stimulation of superoxide anion production in guinea-pig peritoneal macrophages and neutrophils by phorbol myristate acetate, opsonized zymosan and IgG2-containing soluble immune complexes, 657

BEHNKE J.M., *see* WILLIAMS DIANA J.

BERGERET M., FOUCHARD M., GREGOIRE A., CHANY C. & ZAGURY D. Interferon effect on cytolytic T lymphocytes in a single cycle assay, 101

BEVERLEY P., *see* FISCHER A.

BEVERLEY P.C.L., *see* ZANDERS E.D.

BINNS R.M., *see* SYMONS D.B.A.

BJÖRKSTÉN B., *see* AHLSTEDT S.

BLASER K., NAKAGAWA T. & DE WECK L. Effect of passively administered isologous anti-idiotypes directed against anti-carrier (ovalbumin) antibodies on the anti-hapten IgE and IgG antibody responses in BALB/c mice, 423

BLAZSEK I., *see* LENFANT M.

BOEHMER SUSAN M., *see* WING E.J.

BOERRIGTER-BARENDSEN L.H., *see* VAN DER KNAAP W.P.W.

BOLEN J.B. & TRIBBLE J.L. Delayed hypersensitivity to *Staphylococcus aureus* in mice: kinetics of induction, 239

BORREGAARD N., *see* HERLIN T.

BRENNER M.K., *see* NORTH M.E.

BRIGHTMAN IONA L., *see* WATT K.W.K.

BROWN A.E., *see* BADGER A.M.

BUKOVSKÝ A., PRESL J. & MANČAL P. The localization of Thy-1.1 MRC OX 2 and Ia antigens in the rat ovary and fallopian tube, 587

BUSSOLINO F., *see* CAMUSSI G.

CALIGARIS CAPPIO F., *see* CAMUSSI G.

CAMUSSI G., BUSSOLINO F., TETTA C., CALIGARIS CAPPIO F., CODA R., MACCHIORLATTI E., ALBERTON M., ROFFINILLO C. & SEGOLONI G. Effect of prostacyclin (PGI_2) on immune-complex-induced neutropenia, 625

CARTER JAN, NEWPORT ANNE, KEELER K.D. & DRESSER D.W. FACS analysis of changes in T and B lymphocyte populations in the blood, spleen and lymph nodes of pregnant mice, 791

CERONE SILVIA, *see* MARGNI R.A.

CHAINTREUIL J., *see* KLEIN B.

CHAMPION B.R., SELL S. & POOLE R. Immunity to homologous collagens and cartilage proteoglycans in rabbits, 605

CHANY C., *see* BERGERET M.

CHIBA M., *see* ENDHO N.

CHRISTIANSEN G., *see* MOLLER N.P.H.

CLARKSON CAROL A., *see* SYMONS D.B.A.

CODA R., *see* CAMUSSI G.

COLIZZI V., *see* ASHERSON G.L.

COLTEN H.R., *see* ARNAOUT M.A.

COREY E.J., *see* LEE C.W.

COULITS NELLY, *see* GECZY A.F.

COUPLAND K. & LESLIE R.C.Q. The expression of Fc receptors on guinea-pig peritoneal macrophages and neutrophils, 647

COX K.O., *see* HOWLES ANNE

CRASTES DE PAULET A., *see* KLEIN B.

DALLEGRI F., FRUMENTO G. & PATRONE F. Mechanisms of tumour cell destruction by PMA-activated human neutrophils, 273

DANA N., *see* ARNAOUT M.A.

DATE J., *see* HUSBY S.

DAVIDSON SIMA, MANSOUR A., GALLILY RUTH, SMOLARSKI M. SHAMIR M. & GINSBURG H. Mast cell differentiation depends on T cells and granule synthesis on fibroblasts, 439

DE GROOT J., *see* VAN DINTHER-JANSSEN A.C.H.M.

DE WECK L., *see* BLASER K.

DEZSŐ B., *see* FÓRIS GABRIELLA.

DIAMANTSTEIN T., *see* OSAWA H.

DIERICH M.P., *see* HAMMANN K.P.

DONACHIE ANNE M., *see* WAKELIN D.

DONNELLY T., *see* MCDONALD T.L.
DRESSER D.W., *see* CARTER JAN.
DRESSER D., *see* MALLEY A.
DRESSER D.W., PARKHOUSE R.M.E. & POPHAM A.M. Pretreatment of mice with anti-IgD serum does not result in suppression of immune responsiveness induced by TNP-AECM-FICOLL or lipopolysaccharide, 497
DREXHAGE H.A., *see* WILDERS M.M.
DUCHANGE N., *see* LENFANT M.
DUIJVESTIJN A., *see* WILDERS M.M.
DUTTON R.W., *see* WATERFIELD J.D.

EGBERTS E., *see* SECOMBES C.J.
EMERY D.L. & KAR S.K. Immune responses of cattle to *Theileria parva* (East Coast fever): specificity of cytotoxic cells generated *in vivo* and *in vitro*, 723
ENDHO N., CHIBA M. & HASHIMOTO Y. Stimulation of rat autologous mixed lymphocyte reaction with xenogeneic sera and their protein preparations, 211
ERDEI A., *see* HAMMANN K.P.
ERHARDT C.C., *see* SCHRIEBER L.
ERPELDING ALICIA, *see* MARGNI R.A.

FELDMANN M., *see* FISCHER A.
FELDMANN M., *see* ZANDERS E.D.
FELDT-RASMUSSEN U., *see* HUSBY S.
FISCHER A., BEVERLEY P., FELDMANN M. & SMITH SUSAN. Induction of a T-cell-mediated suppressor activity by soluble products from antigen-specific helper/inducer human T-cell lines, 177
FISCHER A., *see* ZANDERS E.D.
FLEXMAN J.P., SHELLAM G.R. & MAYRHOFER G. Natural cytotoxicity, responsiveness to interferon and morphology of intra-epithelial lymphocytes from the small intestine of the rat, 733
FÓRIS GABRIELLA, DEZSŐ B., MEDGYESI G.A. & FUST G. Effect of angiotensin II on macrophage functions, 529
FOUCHARD M., *see* BERGERET M.
FRIDMAN W.H., *see* YODOI JUNJI.
FRUMENTO G., *see* DALLEGRI F.
FÜST G., *see* FÓRIS GABRIELLA.

GALLILY RUTH, *see* DAVIDSON SIMA.
GALLILY R., *see* KUNIN S.
GECZY A.F. & COULITS NELLY. Genetic control of allogeneic interactions in the guinea-pig. V. Evidence for a dissociation between genes coding for a GPLA-B region-controlled determinant and genes coding for MLC suppressor cells, 755
GECZY CAROLYN L., *see* INOUE YOSHIHIRO.
GECZY CAROLYN L., *see* THOMSON A.W.
GINSBURG H., *see* DAVIDSON SIMA.
GOETZL E.J., *see* VALONE F.H.
GOETZL E.J., *see* WATT K.W.K.
GREGOIRE A., *see* BERGERET M.
GRIMM D.T., *see* RICARDO M.J. JR.
GUENET J.-L., *see* KOVATCHEV D.
GYURE L.A., *see* SPENCER J.

HAAKENSTAD A.O., *see* JIMENEZ R.A.H.
HALL ELIZABETH, *see* JARRETT ELLEN E.E.
HALL J.G., *see* SPENCER J.
HAMILTON A.O., *see* WHALEY K.
HAMMANN K.P., SCHEINER O., SCHULZ T., ERDEI A. & DIERICH M.P. Binding of the third component of complement (C3) to Thy-1.2 positive Con-A-induced blasts of the murine spleen: modulation of the C3 binding and cell aggregation by protease inhibitors, 415
HASHIMOTO Y., *see* ENDHO N.
HASS G.M., *see* RISTOW SANDRA S.
HAYASHI H., *see* HIRASHIMA M.
HAYASHI H., *see* HIROTSU Y.
HERLIN T. & BORREGAARD N. Early changes in cyclic AMP and calcium efflux during phagocytosis by neutrophils from normals and patients with chronic granulomatous disease, 17
HIRASHIMA M., HIROTSU Y. & HAYASHI H. The mediation of tissue eosinophilia in hypersensitivity reactions. IV. Production of delayed eosinophil chemotactic factor-a by peritoneal exudate cells from sensitized guinea-pigs *in vitro*, 69
HIRASHIMA M., *see* HIROTSU Y.
HIROTSU Y., HIRASHIMA M. & HAYASHI H. The mediation of tissue eosinophilia in hypersensitivity reactions. III. Separation of two different delayed eosinophil chemotactic factors and transfer of these factors by serum or cells from sensitized guinea-pigs, 59
HIROTSU Y., *see* HIRASHIMA M.
HORSFALL A.C., *see* SCHRIEBER L.
HOWLES ANNE & COX K.O. Suppression of autoantibodies is specific for the foreign antigens inducing the autoimmunity, 667
HUMPHREY J.H., *see* MALASIT P.
HURME M., *see* VARKILA K.
HUSBY S., STEENSGAARD J., FELDT-RASMUSSEN U. & DATE J. Molecular distribution of preformed thyroglobulin immune complexes, 401

INOUE YOSHIHIRO, GECZY CAROLYN L., NELSON D.S. & NELSON MARGARET, Lymphokine-like products of cultured tumour cells, 713
INOUE Y., *see* THOMSON A.W.
ISHII Y., MATSUURA A., YUASA H., NARITA H., TAKAMI T. & KIKUCHI K. Two distinct antigenic markers for rat thymus and T cells defined by monoclonal antibodies, 743

JARRETT ELLEN E.E. & HALL ELIZABETH. IgE suppression by maternal IgG, 49
JARRETT FREDA, *see* REID FIONA M.
JIMENEZ R.A.H., HAAKENSTAD A.O. & MANNIK M. Hepatic uptake of small-latticed immune complexes does not alter mononuclear phagocyte system function, 205
JOHNSTON SARAH L., *see* ABRAHAM G.N.

KAMMER K. Monoclonal antibodies to influenza A virus FM1 (H1N1) proteins require individual conditions for optimal reactivity in binding assays, 799
KAR S.K., *see* EMERY D.L.
KASHIWAZAKI S., *see* NAKAMURA K.
KEELER K.D., *see* CARTER JAN.
KEELER K., *see* MARSHALL-CLARKE S.
KIKUCHI K., *see* ISHII Y.

KING I.D., *see* WATERFIELD J.D.
KLEIN B., CHAINTREUIL J., CRASTES DE PAULET & SERROU B. Suppressor effect of prostaglandins on T colony formation, 337
KOHL S. & MOORE CHARLEEN M. Human antibody-dependent cellular cytotoxicity and natural killer cytotoxicity to herpes simplex virus-infected autologous and allogeneic cells, 187
KOVATCHEV D., TERNYNCK THÉRÈSE, GUENET J.-L. & AVRAMEAS S. Strain differences in the immune response of mice to horseradish peroxidase, 367
KUNIN S. & GALLILY R. Recognition and lysis of altered-self cells by macrophages. I. Modification of target cells by 2,4,6-trinitrobenzene sulphonic acid, 265

LAPPIN D., *see* WHALEY K.
LEE C.W., LEWIS R.A., COREY E.J. & AUSTEN F. Conversion of leukotriene D_4 to leukotriene E_4 by a dipeptidase released from the specific granule of human polymorphonuclear leucocytes, 27
LEE T.D.G. & WAKELIN D. Cortisone-induced immunotolerance to nematode infection in CBA/Ca mice. II. A model for human chronic trichuriasis, 571
LEHNER T. Characterization of human helper and suppressor factors with special reference to HLA-DR determinants, 695
LENFANT M., MILLERIOUX L., BLAZSEK I. & DUCHANGE N. Relationship between a spleen-derived immunosuppressive peptide 'SDIP' and the 'facteur thymique sérique' (FTS): biochemical and biological comparison of the two factors, 635
LESLIE R.C.Q., *see* BAXTER M.A.
LESLIE R.C.Q., *see* COUPLAND K.
LEWIS R.A., *see* LEE C.W.
LÓPEZ A.F., STRATH M., SANDERSON C.J. Mouse immunoglobulin isotypes mediating cytotoxicity of target cells by eosinophils and neutrophils, 503

MCCARTHY D.A., *see* SCHRIEBER L.
MCDONALD T.L., DONNELLY T., WEBER ANNIKA & QUENETTE LINDA. Antibody classes and subclasses in circulating immune complexes isolated from mice infected with lactic dehydrogenase virus, 511
MACKENZIE N.M., MORRIS B. & MORRIS R. The binding of proteins to isolated enterocytes from the small intestine of the neonatal rat, 489
MAINI R.N., *see* SCHRIEBER L.
MAIZELS R.M., MEGHJI MUNIRA & OGILVIE BRIDGET M. Restricted sets of parasite antigens from the surface of different stages and sexes of the nematode parasite *Nippostrongylus brasiliensis*, 107
MALASIT P., BARTOLOTTI S.R. & HUMPHREY J.H. Molecular composition of complement-solubilized complexes and their fate *in vivo*, 779
MALAVÉ INÉS, POCINO MARISOL & BAUTE L. Influence of dietary protein restriction on the delayed-type hypersensitivity response to sheep red blood cells in mice, 329
MALLEY A. & DRESSER D. Anti-idiotype regulation of the formation of IgE antibody to timothy grass pollen. II. *In vitro* induction of suppressor T cells in mini-Marbrook cultures, 93
MANČAL P., *see* BUKOVSKY A.
MANNIK M., *see* JIMENEZ R.A.H.
MANSOUR A., *see* DAVIDSON SIMA.
MACCHIORLATTI E., *see* CAMUSSI G.
MARGNI R.A., PARMA E.A., CERONE SILVIA, ERPELDING ALICIA & PERDIGÓN GABRIELA. Agglutinating and non-agglutinating antibodies in rabbits inoculated with a particulate antigen (*S. typhimurium*), 351
MARSHALL-CLARKE S., KEELER K. & PARKHOUSE R.M.E. The expression of surface IgD on B cells responsive to thymus-independent and thymus-dependent antigens and its requirement for B-cell triggering, 393
MASUDA TOHRU, *see* YODOI JUNGI.
MATSUURA A., *see* ISHII Y.
MATTHEWS N. Effect on human monocyte killing of tumour cells of antibody raised against an extracellular monocyte cytotoxin, 321
MAYRHOFER G., *see* FLEXMAN J.P.
MEDGYESI G.A., *see* FÖRIS GABRIELLA.
MEDICUS R., *see* ARNAOUT M.A.
MEGHJI MUNIRA, *see* MAIZELS R.M.
MELAMED J., *see* ARNAOUT M.A.
MELSOM R.D., *see* SCHRIEBER L.
MEUWISSEN S.G.M., *see* WILDERS M.M.
MILLERIOUX L., *see* LENFANT M.
MØLLER N.P.H. & CHRISTIANSEN G. Fc-mediated immune precipitation. III. Visualization by electron microscopy, 469
MØLLER N.P.H. & PEDERSEN T.S. Fc-mediated immune precipitation. IV. Antigen dependency and specificity, 477
MOON DEBORAH K., *see* THOMSON A.W.
MOORE CHARLEEN M., *see* KOHL S.
MORRIS B., *see* MACKENZIE N.M.
MORRIS R., *see* MACKENZIE N.M.
MULLINK H., *see* WILDERS M.M.
MUMFORD P.A., *see* SCHRIEBER L.

NAKAGAWA T., *see* BLASER K.
NAKAMURA K., AKAHOSHI T., YOSHII A. & KASHIWAZAKI S. Generation of anti-NZB red blood cell antibody-forming plasma cells from bone marrow cultures of syngeneic and allogeneic mice: functional modulation of helper T-cell subsets in autosensitization, 579
NAKANO K., *see* TAKAGI H.
NARITA H., *see* ISHII Y.
NELSON D.S., *see* INOUE YOSHIHIRO.
NELSON D.S., *see* THOMSON A.W.
NELSON MARGARET, *see* INOUE YOSHIHIRO.
NEWPORT ANNE, *see* CARTER JAN.
NOMOTO K., *see* YOSHIDA S.
NORTH M.E. & BRENNER M.K. Induction of immunoglobulin and antigen-dependent antibody synthesis in human lymphocytes, using supernatants from mitogen-stimulated cultures, 157
NYGREN H., *see* AHLSTEDT S.

OGILVIE BRIDGET M., *see* MAIZELS R.M.
OHHARA REIKO, *see* YOSHIDA S.
OKADA H., *see* OKADA N.
OKADA N., YASUDA T., TSUMITA T. & OKADA H. Membrane sialoglycolipids regulate the activation of the alternative complement pathway by liposomes containing trinitrophenylaminocaproyldipalmitoylphosphatidylethanolamine, 129

OSAWA H. & DIAMANTSTEIN T. Studies on T lymphocyte activation. II. Monoclonal antibody inhibiting the capacity of rat T lymphoblasts to absorb and to respond to IL-2: an anti-IL-2 receptor antibody? 617
OTTESKOG P. & SUNDQVIST K.-G. Anchorage and lymphocyte function. Spreading-capacity distinguishes common thymocytes and peripheral T lymphocytes, 675
OUTSCHOORN INGRID MAIVE. Subclass specificities of rabbit antibodies to human antidextran, 597
OWEN J.J.T., *see* ASPINALL R.

PARKHOUSE R.M.E., *see* DRESSER D.W.
PARKHOUSE R.M.E., *see* MARSHALL-CLARKE S.
PARMA E.A., *see* MARGNI R.A.
PATRONE F., *see* DALLEGRI F.
PEDERSEN T.S., *see* MØLLER N.P.H.
PEEL M.G., *see* REID F.M.
PERDIGÓN GABRIELA, *see* MARGNI R.A.
PLESCH B.E.C., *see* WILDERS M.M.
POCINO MARISOL, *see* MALAVÉ INÉS.
PODELL D.N., *see* ABRAHAM G.N.
POOLE A.R., *see* CHAMPION B.R.
POPHAM A.M., *see* DRESSER D.W.
POSTE G., *see* BADGER A.M.
PRESL J., *see* BUKOVSKÝ A.

QUENETTE LINDA, *see* MCDONALD T.L.

REEVES W.G., *see* BAXTER M.A.
REID FIONA M., PEEL MOIRA G., JARRETT FREDA & SANDILANDS G.P. Modulation of human peripheral blood lymphocyte Fcγ receptors by immune complexes: recovery of Fcγ receptors in the presence of normal human serum, 281
RICARDO M.J. JR & GRIMM D.T. Preferential expression of IgG1 antibodies specific for the L2C leukaemia IgM idiotypic determinants in tumour-protected strain 2 guinea-pigs, 763
RISTOW SANDRA S., STARKEY JEAN R. & HASS G.M. *In vitro* effects of protease inhibitors on murine natural killer cell activity, 1
ROBERTS S.A. & TURNER M.W. Specific suppression of rat IgE responses with milk from immunized females and with feeds of serum antibody, 195
ROFFINELLO C., *see* CAMUSSI G.
RUBEN L.N. IgM memory: long lived hapten-specific memory in the newt *Notophthalmus viridescens*, 385

SANDERSON A.R., *see* WARD P.J.
SANDERSON C.J., *see* LOPEZ A.F.
SANDILANDS G.P., *see* REID FIONA M.
SANUI H., *see* YOSHIDA S.
SCHEINER O., *see* HAMMANN K.P.
SCHEPER R.J., *see* VAN DINTHER-JANSSEN A.C.H.M.
SCHRIEBER L., ERHARDT C.C., MELSOM R.D., VENABLES P.J.W., MCCARTHY D.A., MUMFORD P.A., HORSFALL A.C. & MAINI R.N. *In vivo* fate of ^{125}I-SS-B (Ia) injected into mice, 771
SCHULZ T., *see* HAMMANN K.P.
SCHUTTE R., *see* VAN DER KNAPP W.P.W.
SECOMBES C.J., VAN GRONINGEN J.J.M. & EGBERTS E. Separation of lymphocytes subpopulations in carp *Cyprinus carpio* L. by monoclonal antibodies: immunohistochemical studies, 165
SEGOLONI G., *see* CAMUSSI G.
SELL S., *see* CHAMPION B.R.
SERROU B., *see* KLEIN B.
SHAMIR M., *see* DAVIDSON SIMA.
SHELLAM G.R., *see* FLEXMAN J.P.
SMEDEGÅRD G., *see* AHLSTEDT S.
SMINIA T., *see* VAN DER KNAAP W.P.W.
SMINIA T., *see* WILDERS M.M.
SMITH SUSAN, *see* FISCHER A.
SMITH SUSAN, *see* ZANDERS E.D.
SMOLARSKI M., *see* DAVIDSON SIMA.
SODOMANN C.-P., *see* ZHEN Q.-Y.
SPENCER J., GYURE L.A. & HALL J.G. IgA antibodies in the bile of rats. III. The role of intrathoracic lymph nodes and the migration pattern of their blast cells, 687
STARKEY JEAN R., *see* RISTOW SANDRA S.
STEENSGAARD J., *see* HUSBY S.
STRATH M., *see* LOPEZ A.F.
SUNDQVIST K.-G., *see* OTTESKOG P.
SYMONS D.B.A., CLARKSON CAROL A. & BINNS R.M. Antibody response to dinitrophenyl hapten by foetal, neonatal and young pigs, 703

TAKAGI H. & NAKANO K. The effect of vitamin A depletion on antigen-stimulated trapping of peripheral lymphocytes in local lymph nodes of rats, 123
TAKAMI T., *see* ISHII Y.
TERNYNCK THÉRÈSE, *see* KOVATCHEV D.
TESHIGAWARA KEISUKE, *see* YODOI JUNGI
TETTA C., *see* CAMUSSI G.
THOMSON A.W., MOON DEBORAH K., GECZY CAROLYN L. & NELSON D.S. Cyclosporin A inhibits lymphokine production but not the responses of macrophages to lymphokines, 291
THOMSON A.W., MOON DEBORAH K., INOUE Y., GECZY CAROLYN I. & NELSON D.S. Modification of delayed-type hypersensitivity reactions to ovalbumin in cyclosporin A-treated guinea-pigs, 301
TRIBBLE J.L. *see* BOLEN J.B.
TSUMITA T., *see* OKADA N.
TURNER M.W., *see* ROBERTS S.A.

VALONE F.H. & GOETZL E.J. Specific binding by human polymorphonuclear leucocytes of the immunological mediator 1-O-hexadecyl/octadecyl-2-acetyl-sn-glycero-3-phosphorylcholine, 141
VAN DER KNAAP W.P.W., SMINIA T., SCHUTTE R. & BOERRIGTER-BARENDSEN L.H. Cytophilic receptors for foreignness, and some factors which influence phagocytosis by invertebrate leucocytes: *in vitro* phagocytosis by amoebocytes of the snail *Lymnaea stagnalis*, 377
VAN DINTHER-JANSSEN A.C.H.M., VAN MAARSSEVEEN A.C.M.TH., DE GROOT J. & SCHEPER R.J. Comparative migration of T and B lymphocyte subpopulations into skin inflammatory sites, 519
VAN GRONINGEN J.J.M., *see* SECOMBES C.J.
VAN MAARSSEVEEN A.C.M.TH. *see* VAN DINTHER-JANSSEN A.C.H.M.
VARKILA K. & HURME M. The effect of cyclophosphamide on cytotoxic T lymphocyte responses: inhibition of helper T-cell induction *in vitro*, 433
VENABLES P.J.W., *see* SCHRIEBER L.

WAKELIN D. & DONACHIE ANNE M. Genetic control of immunity to *Trichinella spiralis*: influence of H-2-linked genes on immunity to the intestinal phase of infection, 343
WAKELIN D., *see* LEE T.D.G.
WALTHER SONIJA, *see* ZHEN Q.-Y.
WARD P.J. & SANDERSON A.R. The interchange of derivatives of human B2-microglobulin in HLA alloantigens, 87
WATERFIELD J.D., KING I.D. & DUTTON R.W. Presence of host-reactive T cells in lymphaematopoietic chimeras, 219
WATKINS MADELAINE C., *see* ASHERSON G.L.
WATT K.W.K., BRIGHTMAN IONA L. & GOETZL E.J. Isolation of two polypeptides comprising the neutrophil-immobilizing factor of human leucocytes, 79
WEBER ANNIKA, *see* MCDONALD T.L.
WELCH ELSA H., *see* ABRAHAM G.N.
WELTEVREDEN E.F., *see* WILDERS M.M.
WHALEY K., LAPPIN D. & HAMILTON A.O. Serum-treated antigen-antibody complexes inhibit the production of C2 and factor B by mononuclear phagocytes, 255
WILDERS M.M., DREXHAGE H.A., WELTEVREDEN E.F., MULLINK H., DUIJVESTIJN A. & MEUWISSEN S.G.M. Large mononuclear Ia-positive veiled cells in Peyer's patches. I. Isolation and characterization in rat, guinea-pig and pig, 453
WILDERS M.M., SMINIA T., PLESCH B.E.C., DREXHAGE H.A., WELTEVREDEN E.F. & MEUWISSEN S.G.M. Large mononuclear Ia-positive beiled cells in Peyer's patches. II. Localization in rat Peyer's patches, 461
WILLIAMS DIANA J. & BEHNKE J.M. Host-protective antibodies and serum immunoglobulin isotypes in mice chronically infected or repeatedly immunized with the nematode parasite, *Nematospiroides dubius*, 37
WING E.J., BARCZYNSKI LISA K. & BOEHMER SUSAN M. Effect of acute nutritional deprivation on immune function in mice. I. Macrophages, 543

YASUDA T., *see* OKADA N.
YODOI JUNJI, ADACHI MITSUNOBU, TESHIGAWARA KEISUKE, MASUDA TOHRU & FRIDMAN W.H. T-cell hybridoma co-expressing Fc receptors for different isotypes. I, reciprocal regulation of FcαR and FcγR expression by IgA and interferon, 551
YOSHIDA S., OHHARA REIKO, SANUI H. & NOMOTO K. Sex difference in delayed footpad reaction to syngeneic testicular cells in C3H/He mice, 537
YOSHII A., *see* NAKAMURA K.
YUASA H., *see* ISHII Y.

ZAGURY D., *see* BERGERET M.
ZANDERS E.D., FISCHER A., SMITH SUSAN, BEVERLEY P.C.L. & FELDMANN M. Antigen-specific and non-specific helper activities derived from supernatants of human influenza virus-specific T-cell lines, 361
ZHEN Q.-Y., WALTHER SONIA & SODOMANN C.-P. Small albumin–immunoglobulin complexes in patients with liver disease, 809

Subject Index

Alloantigens, HLA, interchange of derivatives of human B2-microglobulin in, 87

Allogeneic interactions in the guinea-pig, genetic control of. V. Evidence for a dissociation between genes coding for a GPLA-B region-controlled determinant and genes coding for MLC suppressor cells, 755

Alternative complement pathway, membrane sialoglycolipids regulate the activation of the, by liposomes containing trinitrophenylaminocaproyldipalmitoylphosphatidylethanolamine, 129

Amoebocytes, *in vitro* phagocytosis by, of the snail *Lymnaea stagnalis*. Cytophilic receptors for foreigness and some factors which influence phagocytosis by invertebrate leucocytes, 377

AMP, cyclic, early changes in, and calcium efflux during phagocytosis by neutrophils from normals and patients with chronic granulomatous disease, 17

Angiotensin II, effect of, on macrophage functions, 529

Anti-idiotype regulation of formation of IgE antibody to timothy grass pollen. II. *In vitro* induction of suppressor T cells in mini-Marbrook cultures, 93

Anti-idiotypes, passively administered isologous, effect of, directed against anti-carrier (ovalbumin) antibodies on the anti-hapten IgE and IgG antibody responses in BALB/c mice, 423

Anti-IgD serum, pretreatment of mice with, does not result in suppression of immune responsiveness induced by the TNP-AECM-Ficoll or lipopolysaccharide, 497

Anti-NZB red blood cell antibody-forming plasma cells, generation of, from bone marrow cultures of syngeneic and allogeneic mice: functional modulation of helper T-cell subsets in autosensitization, 579

Antibodies, agglutinating and non-antibodies in rabbits inoculated with a particulate antigen (*Salmonella typhimurium*), 351

Antibodies, anti-carrier (ovalbumin), effect of passively administered isologous anti-idiotypes directed against, on the anti-hapten IgE and IgG antibody responses in BALB/c mice, 423

Antibodies, host-protective, and serum immunoglobulin isotypes in mice chronically infected or repeatedly immunized with the nematode parasite, *Nematospiroides dubius*, 37

Antibodies, monoclonal, separation of lymphocyte subpopulations in carp *Cyprinus carpio* L. by: immunohistochemical studies, 165

Antibodies, rabbit, subclass specificities of, to human antidextran, 597

Antibody classes and subclasses in circulating immune complexes isolated from mice infected with lactic dehydrogenase virus, 511

Antibody-dependent cellular cytotoxicity, human, and natural killer cytotoxicity to herpes simplex virus-infected autologous and allogeneic cells, 187

Antibody, monoclonal, inhibiting the capacity of rat T lymphoblasts to absorb and to respond to IL-2: an anti-IL-2 receptor antibody? Studies on T lymphocyte activation, II, 617

Antibody raised against an extracellular monocyte cytotoxin, effect on human monocyte killing of tumour cells of, 321

Antibody synthesis, antigen-dependent, induction of immunoglobulin and, in human lymphocytes, using supernatants from mitogen-stimulated cultures, 157

Antibody synthesis *in vitro* and *in vivo*, effect of cimetidine, 151

Antidextran, human, subclass specificities of rabbit antibodies to, 597

Antigen, aerosolized, immunization with, induction of humoral immunity and pulmonary mast cells in mice and rats with, 247

Antigen-antibody complexes, serum-treated, inhibit the production of C2 and factor B by mononuclear phagocytes, 255

Antigen dependency and specificity. Fc-mediated immune precipitation, IV, 477

Antigen-specific and non-specific helper activities derived from supernatants of human influenza virus-specific T-cell lines, 361

Antigen-specific helper/inducer human T-cell lines, soluble products from, induction of a T-cell-mediated suppressor activity by, 177

Antigenic markers, two distinct, for rat thymus and T cells defined by monoclonal antibodies, 743

Antigens, foreign, inducing autoimmunity, suppression of autoantibodies is specific for, 667

Antigens, parasite, restricted sets of, from the surface of different stages and sexes of the nematode parasite *Nippostrongylus brasiliensis*, 107

Antigens, thymus-independent and thymus-dependent, expression of surface IgD on B cells responsive to, and its requirement for B-cell triggering, 393

Autoantibodies, suppression of, is specific for the foreign antigens inducing the autoimmunity, 667

B and T lymphocyte populations, FACS analysis of changes in, in the blood, spleen and lymph nodes of pregnant mice, 791

B cells, expression of surface IgD on, responsive to thymus-independent and thymus-dependent antigens and its requirement for B-cell triggering, 393

B lymphocytes, kinetics of sequential appearance of IgM and IgD on, in the bone marrow of the adult mouse, 309

B lymphopoietic capacity, an investigation into the, of long-term bone marrow cultures, 9

B2-microglobulin in HLA alloantigens, interchange of derivatives of, 87

Binding assays, monoclonal antibodies to influenza A virus FM1 (H1N1) proteins require individual conditions for optimal reactivity in, 799
Blast cells, the migration pattern of, and the role of intrathoracic lymph nodes. IgA antibodies in the bile of rats, III, 687
Bone marrow cultures, long term, an investigation into the B lymphopoietic capacity of, 9

C2 and factor B, production of, by mononuclear phagocytes, serum-treated antigen-antibody complexes inhibit, 255
(C3), binding of the third component of complement, to Thy-1.2 positive Con-A-induced blasts of the murine spleen: modulation of the C3 binding and cell aggregation by protease inhibitors, 415
C3b receptor, human complement, low ionic strength or chemical cross-linking of monomeric C3b increases its binding affinity to the, 229
Calcium efflux, early changes in cyclic AMP and, during phagocytosis by neutrophils from normals and patients with chronic granulomatous disease, 17
Carp *Cyprinus carpio* L., separation of lymphocyte subpopulations in, by monoclonal antibodies: immunohistochemical studies, 165
Chemical cross-linking, low ionic strength or, of monomeric C3b increases its binding affinity to the human complement C3b receptor, 229
Chemotactic factor-a, delayed eosinophil, production of, by peritoneal exudate cells from sensitized guinea-pigs *in vitro*. The mediation of tissue eosinophilia in hypersensitivity reactions, IV, 69
Chemotactic factors, delayed eosinophil, separation of two different, and transfer of these factors by serum or cells from sensitized guinea-pigs. Mediation of tissue eosinophilia in hypersensitivity reactions, III, 59
Chimeras, lymphohaematopoietic, presence of host-reactive T cells in, 219
Cimetidine, effect of, on antibody synthesis *in vitro* and *in vivo*, 151
Collagens, homologous, immunity to, and cartilage proteoglycans in rabbits, 605
Complement-solubilized complexes, molecular composition of, and their fate *in vivo*, 779
Cortisone-induced immunotolerance to nematode infection in CBA/Ca mice. II. A model for human chronic trichuriasis, 571
Cryoglobulins, human monoclonal IgG, idiotypic relatedness of, 315
Cyclophosphamide, effect of, on cytotoxic T lymphocyte responses: inhibition of helper T-cell induction *in vitro*, 433
Cyclosporin A inhibits lymphokine production but not the responses of macrophages to lymphokines, 291
Cyclosporin A-treated guinea-pigs, modification of delayed-type hypersensitivity reactions to ovalbumin in, 301
Cytophilic receptors for foreigness, and some factors which influence phagocytosis by invertebrate leucocytes: *in vitro* phagocytosis by amoebocytes of the snail *Lymnaea stagnalis*, 377
Cytotoxic cells generated *in vivo* and *in vitro*, specificity of: immune responses of cattle to *Theileria parva* (East Coast fever), 723
Cytotoxicity, human antibody-dependent cellular, and natural killer cytotoxicity to herpes simplex virus-infected autologous and allogeneic cells, 187
Cytotoxicity, natural, responsiveness to interferon and morphology of intra-epithelial lymphocytes from the small intestine of the rat, 733
Cytotoxicity of target cells, mouse immunoglobulin isotypes mediating, by eosinophils and neutrophils, 503
Cytotoxin, extracellular monocyte, effect on human monocyte killing of tumour cells of antibody raised against an, 321

Delayed-type hypersensitivity reactions, modification of, to ovalbumin in cyclosporin A-treated guinea-pigs, 301
Delayed-type hypersensitivity response to sheep red blood cells in mice, influence of dietary protein restriction on, 329
Delayed hypersensitivity to *Staphylococcus aureus* in mice: kinetics of induction, 239
Dinitrophenyl hapten, antibody response to, by foetal, neonatal and young pigs, 703
Dipeptidase released from the specific granule of human polymorphonuclear leucocytes, conversion of leukotriene D_4 to leukotriene E_4, 27

East Coast fever (*Theileria parva*), immune responses of cattle to: specificity of cytotoxic cells generated *in vivo* and *in vitro*, 723
Electron microscopy, visualization by. Fc-mediated immune precipitation. III, 469
Enterocytes, isolated, binding of proteins to, from the small intestine of the neonatal rat, 489
Eosinophilia tissue, mediation, in hypersensitivity reactions. III. Separation of two different delayed eosinophil chemotactic factors and transfer of these factors by serum or cells from sensitized guinea-pigs, 59
Eosinophilia, tissue, mediation of, in hypersensitivity reactions. IV. Production of delayed eosinophil chemotactic factor-a by peritoneal exudate cells from sensitized guinea-pigs *in vitro*, 69
Eosinophils and neutrophils, mouse immunoglobulin isotypes mediating cytotoxicity of target cells by, 503

FACS analysis of changes in T and B lymphocyte populations in the blood, spleen and lymph nodes of pregnant mice, 791
'Facteur thymique sérique' (FTS), relationship between a spleen-derived immunosuppressive peptide 'SDIP' and: biochemical and biological comparison of the two factors, 635
Fc-mediated immune precipitation. III. Visualization by electron microscopy, 469
Fc-mediated immune precipitation. IV. Antigen dependency and specificity, 477
Fc receptors, expression of on guinea-pig peritoneal macrophages and neutrophils, 647
Fcγ receptors, human peripheral blood lymphocyte, modulation of: recovery of Fcγ receptors in the presence of normal human serum, 281
FcR receptors, T-cell hybridoma co-expressing, for different isotypes. I. Reciprocal regulation of FcαR and FcγR expression by IgA and interferon, 551
Footpad reaction delayed to syngeneic testicular cells in C3H/He mice, 537

Genes coding for a GPLA-B region-controlled determinant and genes coding for MLC suppressor cells, evidence for a dissociation between. Genetic control of allogeneic interactions in the guinea-pig, V, 755
Genetic control of immunity to *Trichinella spiralis*: influence of H-2-linked genes on immunity to the intestinal phase of infection, 343
GPLA-B region-controlled determinant, genes coding for, evidence for a dissociation between, and genes coding for MLC suppressor cells. Genetic control of allogeneic interactions in the guinea-pig, V, 755
Granule synthesis, mast cell differentiation depends on T cells and, on fibroblasts, 439
Granulomatous disease, chronic, normals and patients with, early changes in cyclic AMP and calcium efflux during phagocytosis by neutrophils from, 17

H-2-linked genes, influence of, on immunity to the intestinal phase of infection. Genetic control of immunity to *Trichinella spiralis*, 343
Helper and suppressor factors (human) characterized, with special reference to HLA-DR determinants, 695
Herpes simplex virus-infected autologous and allogeneic cells, human antibody-dependent cellular cytotoxicity and natural killer cytotoxicity to, 187
HLA alloantigens, interchange of derivatives of human B2-microglobulin in, 87
HLA-DR determinants, characterization of human helper and suppressor factors with special reference to, 695
Humoral immunity, induction of, and pulmonary mast cells in mice and rats after immunization with aerosolized antigen, 247
Hypersensitivity reactions, mediation of tissue eosinophilia in. III. Separation of two different delayed eosinophil chemotactic factors and transfer of these factors by serum or cells from sensitized guinea-pigs, 59
Hypersensitivity reactions, mediation of tissue eosinophilia in. IV. Production of delayed eosinophil chemotactic factor-a by peritoneal exudate cells from sensitized guinea-pigs *in vitro*, 69

^{125}I-SS-B (La) injected into mice, *in vivo* fate of, 771
Ia antigens, localization of Thy-1.1, MRC OX 2 and, in the rat ovary and fallopian tube, 587
Ia-positive veiled cells, large mononuclear, in Peyer's patches. I. Isolation and characterization in rat, guinea-pig and pig, 453
Ia-positive veiled cells, large mononuclear, in Peyer's patches. II. Localization in rat Peyer's patches, 461
Idiotypic relatedness of human monoclonal IgG cryoglobulins, 315
IgA and interferon, reciprocal regulation of FcαR and FcγR expression by. T-cell hybridoma co-expressing Fc receptors for different isotypes, I, 551
IgA antibodies in the bile of rats. III. The role of intrathoracic lymph nodes and the migration pattern of their blast cells, 687
IgD, kinetics of sequential appearance of IgM and, on B lymphocytes in the bone marrow of the adult mouse, 309
IgD, surface, expression of, on B cells responsive to thymus-independent and thymus-dependent to antigens and its requirements for B-cell triggering, 393
IgE antibody, anti-idiotype regulation of formation of, to timothy grass pollen. II. *In vitro* induction of suppressor cells in mini-Marbrook cultures, 93
IgE, anti-hapten, and IgG antibody responses in BALB/c mice, effect of passively administered isologous anti-idiotypes directed against anti-carrier (ovalbumin) antibodies on, 423
IgE responses, rat, specific suppression of, with milk from immunized females and with feeds of serum antibody, 195
IgE suppression by maternal IgG, 49
IgG antibody responses, anti-hapten IgE and, in BALB/c mice, effect of passively administered isologous anti-idiotypes directed against anti-carrier (ovalbumin) antibodies on, 423
IgG cryoglobulins, human monoclonal, idiotypic relatedness of, 315
IgG, maternal, IgE suppression by, 49
IgG1 antibodies specific for the L2C leukaemia IgM idiotypic determinants in tumour-protected strain 2 guinea-pigs, preferential expression of, 763
IgM and IgD, kinetics of sequential appearance of, on lymphocytes in the bone marrow of the adult mouse, 309
IgM antibody, evidence for the presence of, on their surface. Immunogenic cells in the regional lymph nodes after painting with the contact sensitizers picryl chloride and oxazolone, 561
IgM memory: long-lived hapten-specific memory in the newt *Notophthalmus viridescens*, 385
IL-2, monoclonal antibody inhibiting the capacity of rat T lymphoblasts to absorb and to respond to: an anti-IL2 receptor antibody? Studies of T lymphocyte activation, II, 617
Immune-complex-induced neutropenia, effect of prostacyclin (PGI_2) on, 625
Immune complexes, circulating, antibody classes and subclasses in, isolated from mice infected with lactic dehydrogenase virus, 511
Immune complexes, preformed thyroglobulin, molecular distribution of, 401
Immune complexes, small-latticed, hepatic uptake of, does not alter mononuclear phagocyte system function, 205
Immune function, effect of acute nutritional deprivation on, in mice. I. Macrophages, 543
Immune precipitation, Fc-mediated. III. Visualization by electron microscopy, 469
Immune precipitation, Fc-mediated. IV. Antigen dependency and specificity, 477
Immune response of mice to horseradish peroxidase, strain differences in, 367
Immune responsiveness, suppression of, induced by TNP-AECM-Ficoll or lipopolysaccharide, pretreatment of mice with anti-IgD serum does not result in, 497
Immunity to homologous collagens and cartilage proteoglycans in rabbits, 605
Immunoglobulin, induction of, and antigen-dependent antibody synthesis in human lymphocytes, using supernatants from mitogen-stimulated cultures, 157
Immunoglobulin isotypes, mouse, mediating cytotoxicity of target cells by eosinophils and neutrophils, 503
Immunoglobulin isotypes, serum, host-protective antibodies and, in mice chronically infected or repeatedly immunized with the nematode parasite, *Nematospiroides dubius*, 37
Immunosuppressive peptide, spleen-derived (SDIP), and the

'facteur thymique sérique' (FTS), relationship between: biochemical and biological comparison of the two factors, 635
Immunotolerance, cortisone-induced, to nematode infection in CBA/Ca mice. II. A model for human chronic trichuriasis, 571
Influenza A virus FM1 (H1N1) proteins, monoclonal antibodies to, require individual conditions for optimal reactivity in binding assays, 799
Influenza virus-specific T-cell lines, human, supernatants of, antigen-specific and non-specific helper activities derived from, 361
Interferon effect on cytolytic T lymphocytes in a single cycle assay, 101
Interferon, responsiveness to, natural cytotoxicity and morphology of intra-epithelial lymphocytes from the small intestine of the rat, 733
Intra-epithelial lymphocytes from the small intestine of the rat, natural cytotoxicity, responsiveness to interferon and morphology of, 733
Intrathoracic lymph nodes, the role of, and the migration pattern of their blast cells. IgA antibodies in the bile of rats, III, 687
Ionic strength, low, or chemical cross-linking of monomeric C3b increases its binding affinity to the human complement C3b receptor, 229

Kinetics of induction, delayed hypersensitivity to *Staphylococcus aureus* in mice, 239

L2C leukaemia IgM idiotypic determinants in tumour-protected strain 2 guinea-pigs, preferential expression of IgG1 antibodies specific for, 763
Lactic dehydrogenase virus, mice infected with, antibody classes and subclasses in circulating immune complexes isolated from, 511
Leucocytes, human, isolation of two polypeptides comprising the neutrophil-immobilizing factor of, 79
Leucocytes, invertebrate, cytophilic receptors for foreigness and some factors which influence phagocytosis by: *in vitro* phagocytosis by amoebocytes of the snail *Lymnaea stagnalis*, 377
Leukotriene D_4 to leukotriene E_4, conversion of, by a dipeptidase released from the specific granule of human polymorphonuclear leucocytes, 27
Lipopolysaccharide, suppression of immune responsiveness induced by TNP-AECM-Ficoll or, pretreatment of mice with anti-IgD serum does not result in, 497
Liposomes containing trinitrophenylaminocaproyldipalmitoylphosphatidylethanolamine, activation of the alternative complement pathway by, membrane sialoglycolipids regulate the, 129
Liver disease, small albumin–immunoglobulin complex in patients with, 809
Lymnaea stagnalis, in vitro phagocytosis by amoebocytes of the snail. Cytophilic receptors for foreigness and some factors which influence phagocytosis by invertebrate leucocytes, 377
Lymph nodes, local, of rats, effect of vitamin A depletion on antigen-stimulated trapping of peripheral lymphocytes in, 123
Lymph nodes, regional, immunogenic cells in, after painting with the contact sensitizers picryl chloride and oxazolone: evidence for the presence of IgM antibody on their surface, 561
Lymphocyte Fcγ receptors, human peripheral blood, modulation of: recovery of Fcγ receptors in the presence of normal human serum, 281
Lymphocyte reaction, rat autologous mixed, stimulation of, with xenogeneic sera and their protein preparations, 211
Lymphocyte subpopulations, separation of, in carp *Cyprinus carpio* L. by monoclonal antibodies: immunohistochemical studies, 165
Lymphocyte subpopulations, T and B, comparative migration of, into skin inflammatory sites, 519
Lymphocytes, human, induction of immunoglobulin and antigen-dependent antibody synthesis in, using supernatants from mitogen-stimulated cultures, 157
Lymphocytes, peripheral, effect of vitamin A depletion on antigen-stimulated trapping of, in local lymph nodes of rats, 123
Lymphohaematopoietic chimeras, presence of host-reactive T cells in, 219
Lymphokine-like products of cultured tumour cells, 713
Lymphokine production, cyclosporin A inhibits, but not the responses of macrophages to lymphokines, 291

Macrophages and neutrophils, guinea-pig peritoneal, the expression of Fc receptors on, 647
Macrophage functions, effect of angiotensin II on, 529
Macrophages. Effect of acute nutritional deprivation on immune function in mice, I, 543
Macrophages, recognition and lysis of altered-self cells by. I. Modification of target cells by 2,4,6-trinitrobenzene sulphonic acid, 265
Macrophages, the responses of, to lymphokines, cyclosporin A inhibits lymphokine production but not, 291
Mast cell differentiation depends on T cells and granule synthesis on fibroblasts, 439
Mast cells, pulmonary, induction of humoral immunity and, in mice and rats after immunization with aerosolized antigen, 247
Migration, comparative, of T and B lymphocyte subpopulations into skin inflammatory sites, 519
Mitogen-stimulated cultures, supernatants from, induction of immunoglobulin and antigen-dependent antibody synthesis in human lymphocytes, using, 157
MLC suppressor cells, genes coding for, evidence for a dissociation between genes coding for a GPLA-B region-controlled determinant and. Genetic control of allogeneic interactions in the guinea-pig, V, 755
Molecular distribution of preformed thyroglobulin immune complexes, 401
Monoclonal antibodies, separation of lymphocyte subpopulations in carp *Cyprinus carpio* L. by: immunohistochemical studies, 165
Monoclonal antibodies to influenza A virus FM1 (H1N1) proteins require individual conditions for optimal reactivity in binding assays, 799
Monoclonal antibodies, two distinct antigenic markers for rat thymus and T cells defined by, 743
Monocyte killing, human, effect on, of tumour cells of antibody raised against an extracellular monocyte cytotoxin, 321

Mononuclear Ia-positive veiled cells, large, in Peyer's patches. I. Isolation and characterized in rat, guinea-pig and pig, 453
Mononuclear Ia-positive veiled cells, large, in Peyer's patches. II. Localization in rat Peyer's patches, 461
Mononuclear phagocyte system function, hepatic uptake of small-latticed immune complex, 205
MRC OX 2 and Ia antigens in the rat ovary and fallopian tube, localization of Thy-1.1, 587

Natural killer cell activity, murine, *in vitro* effects of protease inhibitors on, 1
Nematode infection in CBA/Ca mice, cortisone-induced immunotolerance to. II. A model for human chronic trichuriasis, 571
Nematospiroides dubius, the nematode parasite, host-protective antibodies and serum immunoglobulin isotypes in mice chronically infected or repeatedly immunized with, 37
Neutropenia, immune-complex-induced, effect of prostacyclin (PGI_2) on, 625
Neutrophil-immobilizing factor of human leucocytes, isolation of two polypeptides comprising, 79
Neutrophils, early changes in cyclic AMP and calcium efflux during phagocytosis by, from normals and patients with chronic granulomatous disease, 17
Neutrophils, guinea-pig peritoneal macrophages and, the expression of Fc receptors on, 647
Neutrophils, mouse immunoglobulin isotypes mediating cytotoxicity of target cells by eosinophils and, 503
Neutrophils, PMA-activated human, mechanisms of tumour cell destruction by, 273
Nippostrongylus brasiliensis, nematode parasite, restricted sets of parasite antigens from the surface of different stages and sexes of the, 107
Notophthalmus viridens, IgM memory: long-lived hapten-specific memory in the newt, 385
Nutrition deprivation, acute, effect of, on immune function in mice. I. Macrophages, 543

1-O-Hexadecyl/octodecyl-2-acetyl-sn-glycero-3-phosphorylcholine, the immunological mediator, specific binding by human mediator polymorphonuclear leucocytes of, 141
Ovalbumin in cyclosporin A-treated guinea-pigs, modification of delayed-type hypersensitivity reactions to, 301

Peritoneal exudate cells, from sensitized guinea-pigs *in vitro*, production of delayed eosinophil chemotactic factor-a by. The mediation of tissue eosinophilia in hypersensitivity reactions, IV, 69
Peyer's patches, large mononuclear Ia-positive veiled cells in. I. Isolation and characterization in rat, guinea-pig and pig, 453
Peyer's patches, large mononuclear Ia-positive veiled cells in. II. Localization in rat Peyer's patches, 461
Phagocytes, mononuclear, serum-treated antigen-antibody complexes inhibit the production of C2 and factor B by, 255
Phagocytosis by invertebrate leucocytes: *in vitro* phagocytosis by amoebocytes of the snail *Lymnaea stagnalia*. Cytophilic receptors for foreigness and some factors which influence, 377
Phagocytosis by neutrophils, early changes in cyclic AMP and calcium efflux, from normals and patients with granulomatous disease, 17
Phorbol myristate acetate, opsonized zymosan and IgG2-containing soluble immune complexes used in the stimulation of superoxide anion production in guinea-pig peritoneal macrophages and neutrophils, 657
Pigs (foetal, neonatal and young), antibody response to dinitrophenyl hapten by, 703
PMA-activated human neutrophils, mechanisms of tumour cell destruction by, 273
Polymorphonuclear leucocytes, human, conversion of leukotriene D_4 to leukotriene E_4 by a dipeptidase released from the specific granule from, 27
Polymorphonuclear leucocytes, human, specific binding by, of the immunological mediator 1-O-hexadecyl/octadecyl-2-acetyl-sn-glycero-3-phosphorylcholine, 141
Polypeptides, two, isolation of, comprising the neutrophil-immobilizing factor of human leucocytes, 79
Pregnant mice, FACS analysis of changes in T and B lymphocyte populations in the blood, spleen and lymph nodes of, 791
Prostacyclin (PGI_2), effect of, on immune-complex-induced neutropenia, 625
Prostaglandins, suppressor effect of, on T colony formation, 337
Protease inhibitors, *in vitro* effects of, on murine natural killer cell activity, 1
Protease inhibitors, modulation of the C3 binding and cell aggregation by protease inhibitors, binding of the third component of complement (C3) to Thy-1.2 positive Con-A-induced blasts of the murine spleen, 415
Proteins, binding of, to isolated enterocytes from the small intestine of the neonatal rat, 489
Proteoglycans, cartilage, in rabbits, immunity to homologous collagens and, 605

Salmonella typhimurium, a particulate antigen, agglutinating and non-agglutinating antibodies in rabbits inoculated with, 351
Sheep red blood cells in mice, influence of dietary protein restriction on the delayed-type hypersensitivity response to, 329
Sensitizers, contact, picryl chloride and oxazolone, immunogenic cells in the regional lymph nodes after painting with: evidence for the presence of IgM antibody on their surface, 561
Sex difference in delayed footpad reaction to syngeneic testicular cells in C3H/He mice, 537
Sialoglycolipids, membrane, regulate the activation of the alternative complement pathway by liposomes containing trinitrophenylaminocaproyldipmitoylphosphatidylethanolamine, 129
Small albumin–immunoglobulin complex in patients with liver disease, 809
Soluble immune complexes (IgG2-containing), phorbol myristate acetate and opsonized zymosan used in the stimulation of superoxide anion production in guinea-pig peritoneal macrophages and neutrophils, 657
Spleen-derived immunosuppressive peptide 'SDIP' and the 'facteur thymique sérique' (FTS), relationship between: biochemical and biological comparison of the two factors, 635

Spreading-capacity distinguishes common thymocytes and peripheral T lymphocytes. Anchorage and lymphocyte function, 675
Staphylococcus aureus, delayed hypersensitivity to, in mice: kinetics of induction, 239
Strain differences in the immune response of mice to horseradish peroxidase, 367
Subclass specificities of rabbit antibodies to human antidextran, 597
Superoxide anion production, the stimulation of, in guinea-pig peritoneal macrophages and neutrophils by phorbol myristate acetate, opsonized zymosan and IgG2-containing soluble immune complexes, 657
Suppression, IgE, by maternal IgG, 49
Suppression of immune responsiveness induced by TNP-AECM-Ficoll or lipopolysaccharide, pretreatment of mice with anti-IgD serum does not result in, 497
Suppression, specific, of rat IgE responses with milk from immunized females and with feeds of serum antibody, 195
Suppressor activity, T-cell-mediated, induction of, by soluble products from antigen-specific helper/inducer human T-cell lines, 177
Suppressor and helper factors (human) characterized, with special reference to HLA-DR determinants, 695
Suppressor effect of prostaglandins on T colony formation, 337
Suppressor T cells, *in vitro* induction of, in mini-Marbrook cultures. Anti-idiotype regulation of the formation of IgE antibody to timothy grass pollen, II, 93

T and B lymphocyte populations, FACS analysis of changes in, in the blood, spleen and lymph nodes of pregnant mice, 791
T-cell hybridoma co-expressing Fc receptors for different isotypes. I. Reciprocal regulation of FcαR and FcγR expression by IgA and interferon, 551
T-cell induction, helper, *in vitro*, inhibition of: effect of cyclophosphamide on cytotoxic T lymphocyte responses, 433
T-cell lines, human influenza virus-specific, antigen-specific and non-specific helper activities derived from supernatants of, 361
T-cell-mediated suppressor activity, induction of, by soluble products from antigen-specific helper/inducer human T-cell line, 177
T-cell subsets, helper, functional modulation of, in autosensitization. Generation of anti-NZB red blood cell antibody-forming plasma cells from bone marrow cultures of syngeneic and allogeneic mice, 579
T cells, host-reactive, presence of, in lymphohaematopoietic chimeras, 219
T cells, mast cell differentiation depends on, and granule synthesis on fibroblasts, 439
T cells, rat thymus and, two distinct antigenic markers for, defined by monoclonal antibodies, 743
T cells, rat thymus and, two distinct antigenic markers for, defined by monoclonal antibodies, 743
T cells, suppressor, *in vitro* induction of, in mini-Marbrook cultures. Anti-idiotype regulation of the formation of IgE antibody to timothy grass pollen, II, 93
T colony formation, suppressor effect of prostaglandins on, 337
T lymphoblasts, rat, monoclonal antibody inhibiting the capacity of, to absorb and to respond to IL-2: an anti-IL-2 receptor antibody? Studies on T lymphocyte activation, II, 617
T lymphocyte activation, studies on. II. Monoclonal antibody inhibiting the capacity of rat T lymphoblasts to absorb and to respond to IL-2: an anti-IL-2 receptor antibody? 617
T-lymphocyte responses, cytotoxic, effect of cyclophosphamide on: inhibition of helper T-cell induction *in vitro*, 433
T lymphocytes, cytolytic, interferon effect on, in a single cycle assay, 101
T lymphocytes (peripheral) and common thymocytes distinguished by spreading-capacity. Anchorage and lymphocyte function, 675
Target cells, modification of, 2,4,6-trinitrobenzene sulphonic acid. Recognition and lysis of altered-self cells by macrophages, I, 265
Target cells, mouse immunoglobulin isotypes mediating cytotoxicity of, by eosinophils and neutrophils, 503
Testicular cells, syngeneic, in C3H/He mice, sex difference in delayed footpad reaction to, 537
Theileria parva (East Coast fever), immune responses of cattle to: specificity of cytotoxic cells generated *in vivo* and *in vitro*, 723
Thy-1.1 MRC OX 2 and Ia antigens in the rat ovary and fallopian tube, 587
Thy-1.2 positive Con-A-induced blasts, binding of the third component of complement (C3) to, of the murine spleen: modulation of the C3 binding and cell aggregation by protease inhibitors, 415
Thymocytes (common) and peripheral T lymphocytes distinguished by spreading-capacity. Anchorage and lymphocyte function, 675
Thymus and T cells, rat, two distinct antigenic markers for, defined by monoclonal antibodies, 743
Thymus-independent and thymus-dependent antigens, expression of surface IgD on B cells responsive to, and its requirement for B-cell triggering, 393
Timothy grass pollen, anti-idiotype regulation of the formation of IgE antibody to. II. *In vitro* induction of suppressor T cells in mini-Marbrook cultures, 93
TNP-AECM-Ficoll or lipopolysaccharide, suppression of immune responsiveness induced by, pretreatment of mice with anti-IgD serum does not result in, 497
Trinchella spiralis, genetic control of immunity to: influence of H-2-linked genes on immunity to the intestinal phase of infection, 343
Trichuriasis, chronic, a model for human. Cortisone-induced immunotolerance to nematode infection in CBA/Ca mice, II, 571
Trinitrophenylaminocaproyldipalmitoylphosphatidylethanolmine, activation of the alternative complement pathway by liposomes containing, membrane sialoglycolipids regulate the, 129
Tumour cell destruction, mechanisms of by PMA-activated human neutrophils, 273
Tumour cells (cultured), lymphokine-like products of, 713
Tumour cells of antibody, effect on human monocyte killing of, raised against an extracellular monocyte cytotoxin, 321
Tumour-protected strain 2 guinea-pigs, preferential

expression of IgG1 antibodies specific for the L2C leukaemia IgM idiotypic determinants in, 763

Vitamin A depletion on antigen-stimulated trapping of peripheral lymphocytes in local lymph nodes of rats, 123

Xenogeneic sera and their protein preparations, stimulation of rat autologous mixed lymphocyte reaction with, 211

Zymosan (opsonized), phorbol myristate acetate and IgG2-containing soluble immune complexes used in the stimulation of superoxide anion production in guinea-pig peritoneal macrophages and neutrophils, 657